


AF.

1744

01204.000005.2



PATENT APPLICATION



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)	
ALEXANDER W. CLARK ET AL.)	Examiner: D. Redding
Application No.: 10/056,028)	Art Unit: 1744
Filed: January 28, 2002)	
For: AUTOMATED)	
MICROBIOLOGICAL TESTING)	
APPARATUS AND METHOD)	
THEREFOR)	August 25, 2005

Mail Stop AF
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

CHANGE OF CORRESPONDENCE ADDRESS

Sir:


Applicants request that all correspondence be directed to:

Scott J. Rittman
Becton Dickinson & Co.
1 Becton Drive
Franklin Lakes, NJ 07417-1880

7

Applicants' undersigned attorney may be reached in our New York office by telephone at (212) 218-2100.

Respectfully submitted,

A handwritten signature in cursive script, reading "Raymond A. DiPerna", is written over a horizontal line.

Raymond A. DiPerna
Attorney for Applicants
Registration No.: 44,063

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
Facsimile: (212) 218-2200

NY_MAIN 520840v1